Faxed in 5-2245

MISSISSIPPI STATE DEPARTMENT OF HEALTH
BUREAU OF PUBLIC WATER SUPPLY
CCR CERTIFICATION
CALENDAR YEAR 2014
FMORY Later Department
Public Water Supply Name Lity of Amory

List PWS ID #s for all Community Water Systems included in this CCR	
List PWS ID #s for all Community Water Systems included in this CCR	

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. You must mail, fax or

email a copy of the CCR and Certification to MSDH. Please check all	boxes that apply.
Customers were informed of availability of CCR by: (Attach	copy of publication, water bill or other)
Advertisement in local paper (attach copy)	
Date(s) customers were informed: 6/5/15.	1
CCR was distributed by U.S. Postal Service or other dire	ect delivery. Must specify other direct delivery
Date Mailed/Distributed: / /	
CCR was distributed by Email (MUST Email MSDH a copy) As a URL (Provide URL As an attachment As text within the body of the email messa	
CCR was published in local newspaper. (Attach copy of publis	•
Name of Newspaper: Monroe County Sho	poer Publication when
Date Published: 103/15	ava: (able
CCR was posted in public places. (Attach list of locations) or CCR was posted on a publicly accessible internet site at the fell	City of Date Posted: 5 /20 / 15
CCR was posted on a publicly accessible internet site at the fol	lowing address (DIRECT URL REQUIRED):
CERTIFICATION I hereby certify that the 2014 Consumer Confidence Report (CCR public water system in the form and manner identified above and the SDWA. I further certify that the information included in this the water quality monitoring data provided to the public water Department of Health, Bureau of Public Water Supply. Name Title (President, Mayor Owner, etc.)	that I used distribution methods allowed by
Deliver or send via U.S. Postal Service: Bureau of Public Water Supply	May be faxed to: (601)576-7800

Deliver Bureau P.O. Box 1700 Jackson, MS 39215

(*001)576-7800*

May be emailed to: water.reports@msdh.ms.gov

Copy of 2014 Annual Drinking Water Quality Report

Is my water safe?

We are pleased to present this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). This report is designed to provide details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. This report is a snapshot of last year's water quality. We are committed to providing you with information because informed customers are our best allies.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

Our water source is from 6 wells drawing from the Gordo Aquifer.

Source water assessment and its availability

Our source water assessment has been completed. Our wells were ranked LOWER in terms of susceptibility to contamination. For a copy of the report, please contact our office at 662-256-5633.

Source water assessment and its availability

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791).

Our source water assessment has been completed. Our wells were ranked LOWER in terms of susceptibility to contamination. For a copy of the report, please contact our office at 662-256-5633.

How can I get involved?

We want our valued customers to be informed about their water utility. If you want additional information, contact our utility office at 256-5633 to schedule a meeting with the water utility staff. Our Board of Alderman meets on the first and third Tuesday of each month, 6:00 PM in the Board Room at City Hall at 109 Front Street.

Description of Water Treatment Process

Your water is treated in a "treatment train" (a series of processes applied in a sequence) that includes coagulation, flocculation, sedimentation, filtration, and disinfection. Coagulation removes dirt and other particles suspended in the source water by adding chemicals (coagulants) to form tiny sticky particles called "floc," which attract the dirt particles. Flocculation (the formation of larger flocs from smaller flocs) is achieved using gentle, constant mixing. The heavy particles settle naturally out of the water in a sedimentation basin. The clear water then moves to the filtration process where the water passes through sand, gravel, charcoal or other filters that remove even smaller particles. A small amount of chlorine or other disinfection method is used to kill bacteria and other microorganisms (viruses, cysts, etc.) that may be in the water before water is stored and distributed to homes and businesses in the community.

Water Conservation Tips

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference - try one today and soon it will become second nature.

- Take short showers a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath.
- Shut off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a month.
- Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a month.
- Run your clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a month.
- Water plants only when necessary.
- Fix leaky toilets and faucets. Faucet washers are inexpensive and take only a few minutes to replace. To check your toilet for a leak, place a few drops of food coloring in the tank and wait. If it seeps into the toilet bowl without flushing, you have a leak. Fixing it or replacing it with a new, more efficient model can save up to 1,000 gallons a
- Adjust sprinklers so only your lawn is watered. Apply water only as fast as the soil can absorb it and during the cooler parts of the day to reduce evaporation.
- Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!
- Visit www.cpa.gov/watersense for more information.

Source Water Protection Tips

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways:

- Eliminate excess use of lawn and garden fertilizers and pesticides they contain hazardous chemicals that can reach your drinking water source.
- Pick up after your pets.
- If you have your own septic system, properly maintain your system to reduce leaching to water sources or consider connecting to a public water system.
- Dispose of chemicals properly; take used motor oil to a recycling center.
- Volunteer in your community. Find a watershed or wellhead protection organization in your community and volunteer to help. If there are no active groups, consider starting one. Use EPA's Adopt Your Watershed to locate groups in your community, or visit the Watershed Information Network's How to Start a Watershed Team.
- Organize a storm drain stenciling project with your local government or water supplier. Stencil a message next to the street drain reminding people "Dump No Waste - Drains to River" or "Protect Your Water." Produce and distribute a flyer for households to remind residents that storm drains dump directly into your local water body.

Other Information

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", CITY OF AMORY is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 10. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. City of Amory Water Department is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Water Quality Data Table

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the definitions below the table.

	MCLG		· 1			T	<u> </u>	
Contaminants	or	TT,	l l	· ·	Range	Sample		
		MRD	L Wat	er Lo	w High	Date	<u>Violatio</u>	Typical Source
Disinfectants & D	isiniectant j	By Proc	lucts.	.,.) 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
TTHMs [Total	ig cylidence i	USE SOCI	tion of a	disinfe	ctant is n	ecessary	for control	of microbial contaminants)
Trihalomethanes] (ppb)	NA	80	21.8	- 1		2013	No	By-product of drinking water disinfection
Haloacetic Acids (HAA5) (ppb)	NA	60	7	NA		2013	No	By-product of drinking water chlorination
Chlorine (as Cl2) (ppm)	4	4	1.6	NA		2014	No	Water additive used to control microbesMRDL Range: 0.92 MG/L to 2.20 MG/L
Inorganic Contam	nents	<u>'</u>	-		,		, ,	
Nitrate [measured as Nitrogen] (ppm)	10	10	0.08	NA		2014	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Nitrite [measured as Nitrogen] (ppm)	1	1	0.02	NA		2014	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Arsenic (ppb)	0	10	0.5	NA		2012	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Antimony (ppb)	6	6	0.5	NA		2012	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; est addition.
Barium (ppm)	2	2	0.01096	NA	-	2012	No I	Discharge of drilling wastes; Discharge from metal efineries; Erosion of natural leposits
Beryllium (ppb)	4	4	0.5	NA	2	012	No fa	Discharge from metal efineries and coal-burning actories; Discharge from lectrical, aerospace, and efense industries



ead - action level at onsumer taps (ppb)	0	15	15	2011		0		No	Corrosion of household plumbing systems; Erosion of natural deposits
Copper - action level t consumer taps	1,3	1.3	1,3	2011		0		No	of natural deposits
norganic Contamina	ints								E T PACAL BUBICC
<u>Contaminants</u>	<u>MCLG</u>	AL	Water	<u>Date</u>	- 1	Exceeding		AL	
			Your	Samp.	e	# Sample	es	Exce	
,1,1-Trichloroethane ppb)	200	200	0.005	NA		2010]	No	Discharge from metal degreasing sites and other factories
Volatile Organic Cor	taminant	S						. 1 🕶	proson or datural deposits
Uranium (ug/L)	0	30	0.5	NA	·,	2012		No	Erosion of natural deposits
Radioactive Contam	inants	***************************************		<u> </u>			<u> </u>	-	hactories .
Thallium (ppb)	0.5	2	0.5	NA		2012		No	Discharge from electronics, glass, and Leaching from ore-processing sites; drug factories
Selenium (ppb)	50	50	2.5	NA		2012		No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
Mercury [Inorganic] (ppb)	2	2	0.5	NA		2012		No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland
Fluoride (ppm)	4	4	0.101	NA		2012		No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
Cyanide [as Free Cn (ppb)	200	200	0 15	NA		2012		No	Discharge from plastic and fortilizer factories; Discharge from steel/metal factories
Chromium (ppb)	100	10	0 0.79	NA		2012		No	Discharge from steel and pul mills; Erosion of natural deposits
Cadmium (ppb)	5	5	0.5	NA		2012		No	Corrosion of galvanized pipe Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and paints

Unit Descriptions	
Term	Definition
ug/L	ug/L: Number of micrograms of substance in one liter of water
ppm	ppm: parts per million, or milligrams per liter (mg/L)
, ppb	ppb: parts per billion, or micrograms per liter (μg/L)
NA .	NA: not applicable

ı

ND	ND: Not detected
NR	NR: Monitoring not required, but recommended.

portant Drinking Water Definition	Dus
Term	Definition
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
; TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.
AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level

For more information please contact:

Contact Name: Charlie Ashcraft

Address: P O Box 266 Amory, MS 38821 Phone: 662-256-5633 Fax: 662-256-6335

E-Mail: amoryutilities@cityofamoryms.com